

Chair **GOZO**


Chair **GOZO PAD**



Chair GOZO



A combination of lines which lie down harmoniously creates a minimal silhouette. The efficient virgin polypropylene with gas assisted moulding technique guarantees solidity and allows to achieve different sections for its back and legs. Surface is slightly wooden textured, light but sturdy and the characteristic back is suitable for indoor & outdoor use, in kitchens, restaurants, hotels, gardens, terraces and pool sides. The high-resistant feet have interchangeable PVC footers. Chair GOZO is an elegant model which can easily fit into different environments.



Weight (crtn)

Net : 3,80 kg

Gross : 4,60 kg

Loading Info (crtn)

20' DC : 244 pcs

40' DC : 508 pcs

40' HC : 612 pcs

90 cbm truck : 724 pcs

Packaging Details (crtn)

4 pcs - 50X68X130 cm - 0,44 cbm

Weight (stack)

Net : 3,80 kg

Gross : 4,30 kg

Loading Info (stack)

20' DC : 420 pcs

40' DC : 840 pcs

40' HC : 980 pcs

90 cbm truck : 1250 pcs

Packaging Details (stack)

12 pcs - 50X73X235 cm - 0,86 cbm / 20'DC

14 pcs - 50X73X260 cm - 0,95 cbm / 40'HC

15 pcs - 63X90X280 cm - 1,00 cbm / Truck



EN 581-1:2006
EN 1728:2000
EN 1022:2005



Colour Options



Ivory White
101020390



Cream
101020399



Coffee
101020393



Wenge
101020388



Black
101020387



Nile Green
101020389

Colour Options



Light Blue
101020396



Turquoise
101020397



Wood
101020395



Tile Red
101020391



Red
101020392




Olive Green
101020394

Chair GOZO Pad



A combination of lines which lie down harmoniously creates a minimal silhouette. The efficient virgin polypropylene with gas assisted moulding technique guarantees solidity and allows to achieve different sections for its back and legs. Surface is slightly wooden textured, light but sturdy and the characteristic back is suitable for indoor & outdoor use, in kitchens, restaurants, hotels, gardens, terraces and pool sides. The high-resistant feet have interchangeable PVC footers. Chair GOZO is an elegant model which can easily fit into different environments.



37 cm

40 cm



- Plastic underneath seat
- 3 cm 28-HD gray sponge
- Attachable with velcro strip
- Pad thickness : 4 cm
- Pad weight : 0,9 kg
- Pad dimensions : 37x40x4 cm

Weight (crtn)

Net : 4,70 kg

Gross : 5,50 kg

Loading Info (crtn)

20' DC : 276 pcs

40' DC : 560 pcs

40' HC : 648 pcs

90 cbm truck : 780 pcs

Packaging Details (crtn)

4 pcs - 50X68X130 cm - 0,44 cbm



EN 581-1:2006
EN 1728:2000
EN 1022:2005

Turkey
Discover
the potential

Colour Options



Ivory White
101010249



Cream
101010260



Coffee
101010251



Wenge
101010257



Black
101010250



Nile Green
101010252



Wood
101010254



Turquoise
101010259



Tile Red
101010253



Red
101010256



Olive Green
101010255



Light Blue
101010258

Akron Fabric Options (Indoor)



Akron 59



Akron 101



Akron 55



Akron 43



Akron 10



Akron 42



Akron 01



Akron 32




Akron 28



Akron 37




Akron 05



Akron 35



Akron 34



Akron 44




Akron 36



Akron 30

70 % Olefin + 30 % Polyester
 Test ISO 12945-2 (Pilling)
 ISO 13936-2 (Seam Slippage)
 ISO 12947-2 (Abrasion)
 ISO 105x12 (Rubbing)

Waterproof Fabric Options (Outdoor)



WR 01



WR 02



WR 03




WR 04



WR 05



WR 06



WR 07



WR 08



WR 09



WR 10



WR 11



WR 12

% 100 Polyester
 PU waterproof layer
 - It should be wiped gently and circular with a damp cloth

Artificial Leather Fabric Options (Outdoor)

Plain



PU 01



PU 02



PU 03



PU 04

Wicker



PU 05



PU 06



PU 07



PU 08

Diamond



PU 09



PU 10



PU 11



PU 12

- Nature and human friendly products can be produced by without using toxic chemicals which harm human health.

- To remove oil stains: use a soapy cotton cloth and gently rub the stain with circular movements. After that use a clean, humid cloth to wipe off the area and dry the surface.

- To remove dust: use a vacuum cleaner or a soft brush.

Test ISO 2286-1
 ISO 1421-1
 ISO 12947-2-4
 ISO 13937-2
 ISO 105-B02
 ISO 13936-1-2



Savaş Plastik A.Ş.

Beysan Sanayi Sitesi Birlik Caddesi No:18
34524 Beylikdüzü, İstanbul, Türkiye

T: + 90 850 346 65 65 **W:** www.tilia.com.tr

T: + 90 212 422 34 06 **E:** info@tilia.com.tr

F: + 90 212 422 46 25